

A DISABILITY AND DEATH TABLE FOR INSURED WORKERS BORN IN 1994

by Johanna Maleh, Robert Baldwin, and Jason Schultz

Introduction

The Social Security program is not just a program for providing income during retirement. A worker who meets certain requirements for insured status will also receive monthly cash benefits in the event of disability.¹ Survivors may receive benefits after the death of an active worker, retired worker, or a disabled worker. This note illustrates the likelihood that a young worker, while maintaining insured status, will receive these types of benefits prior to becoming eligible for full retirement benefits. We make these illustrations using the intermediate assumptions of the 2014 Trustees Report. *Actuarial Note #2013.6*, which was based on the intermediate assumptions of the 2013 Trustees Report, was the prior publication that illustrated this likelihood.

We assess the financial condition of the Social Security program by making projections of the number of insured workers who die or become disabled each year for the next 75 years. These projections depend on the age-sex-specific projections of mortality and disability incidence, and age-sex-duration-specific projections of disabled life mortality and recovery. Additional information regarding these projections is published by the Board of Trustees of the Old-Age and Survivors Insurance and Disability Insurance Trust Funds in annual reports (Trustees Reports) and in actuarial studies.²

Using rates of death, recovery, and disability incidence from the intermediate assumptions, we present estimates of the probability that an illustrative worker will become disabled or die before reaching normal retirement age. We define an illustrative worker in this note as follows: (a) born in 1994, that is, belongs to the 1994 birth cohort; (b) becomes insured at age 20 in 2014; and (c) maintains insured status thereafter. Normal retirement age, the age at which full Social Security benefits can be received, is age 67 for our illustrative worker. Tables A and B compare these estimates using the 1994 birth cohort with those published in prior years. The projected probabilities of death before normal retirement age have

decreased between the 1966 and 1994 cohorts, reflecting in part the actual improvement in mortality experience since 1986. The projected probability of becoming disabled before normal retirement age has decreased for insured men between the 1966 and 1994 cohorts, but has increased for insured women. For the 1994 insured cohort, we project that the probability of surviving from age 20 to normal retirement age without ever being disabled is 64 percent for males and 69 percent for females. Comparable probabilities projected for the 1966 insured cohort are 58 percent for males and 70 percent for females.

Table B is new this year. It shows the total projected probability of death as the sum of the probability of death while disabled and the probability of death while not disabled. Between the 1993 and 1994 cohorts, the projected probability of death before normal retirement age decreased slightly for both sexes. However, the projected probability of becoming disabled is essentially the same for these two cohorts.

Assumptions and Methods

Tables C and D show disability and death tables for insured males and females, respectively, who were born in 1994. We derive death and disability rates by sex and single year of age (20 through 67) for four population groups: total, active, disabled, and recovered. The active group is composed of insured workers who are alive and have never been disabled. The disabled group consists of workers who are currently entitled to receive a disabled worker benefit. The recovered group consists of insured workers who have had a prior disability, but are not currently entitled to receive a disabled worker benefit. All workers are assumed to be fully and disability insured at all times after reaching age 20.³ For each age, we calculate deaths, entitlements to disability-worker benefits, and recoveries from the disability rolls. For each population (active, disabled, recovered, and total), we determine the number of persons alive at the beginning of the next year by adding and/or subtracting the

¹ Disabled means receiving Social Security disability benefits, and, thus, meeting all qualifications to receive these benefits.

² Additional information is located at the following internet site: <http://www.socialsecurity.gov/OACT/pubs.html>.

³ Computing disability incidence rates by age using insured workers gives a larger probability of disability entitlement than if all workers were included in the calculations.

relevant components of change to the number of persons alive at the beginning of the year.

For those born in 1994, we developed cohort insured life tables for each sex, from age 20 to age 67. To calculate total deaths for the insured population, we applied the age-sex-specific mortality rates of the general population to the beginning of the year total population.⁴

We calculated deaths for the disabled population by applying age-sex-duration-specific⁵ mortality rates to the beginning of the year disabled population. We assumed that newly entitled disabled-worker-beneficiaries, that is, those in duration 0, are exposed for half a year, since on average they become entitled at mid-year. We calculated deaths occurring to those who have recovered from disability (“recovered deaths”) by applying the age-sex-specific mortality rates of the general population to the recovered population at the beginning of the year, with adjustments. To make these adjustments, we added half of the newly recovered population and subtracted half of those newly disabled from the recovered population. Active deaths are the residual: subtract the disabled and recovered deaths from the total population deaths.

We developed cohort disability incidence rates for each sex, from age 20 to age 67, for those born in 1994. To calculate newly disabled-worker-beneficiaries, we applied the age-sex-specific incidence rates to the active and recovered populations at the beginning of the year.

Finally, we developed rates of recovery from disability for each sex, from age 20 to age 67, for those born in 1994. To calculate the number of recoveries from the disabled population we applied age-sex-duration-specific⁵ recovery rates to the beginning of the year disabled population. We assumed that newly entitled disabled-

worker-beneficiaries (in duration 0) are exposed for half a year.

Results

Table C provides tabulations which allow for the computation of various probabilities of survival, death, and disability for insured males born in 1994. Table D provides the same information for insured females born in 1994. For example, the probability that an insured female, age 25 in 2019, will survive to age 60 without ever becoming disabled is 78 percent. To get this result, we divided the number of active lives at age 60 (775,274) by the number of active lives at age 25 (990,211).

Table E uses the tabulations in tables C and D to derive various probabilities of survival, death, and disability for insured males and females born in 1994. We calculated the probability of survival without disability from age 20 to age x by dividing the active population at the beginning of the year at age x by the active population at the beginning of the year at age 20. The probability of dying or becoming disabled after age 20 and before age x is calculated as the complement, that is, 1 minus the probability of surviving without disability from age 20 to age x . For example, we project that an insured male worker who attained age 20 in 2014 has a 64 percent chance of surviving to age 67 without ever becoming disabled and a 36 percent chance of either dying or becoming disabled prior to age 67.

Table E also includes probabilities of an insured worker becoming disabled and of an insured worker dying while never disabled. These probabilities are shown from age 20 to age x . We calculate these values by dividing the total newly disabled and the total deaths from the active population prior to age x , respectively, by the active population alive at the beginning of the year at age 20. For example, we project that an insured female worker who attained age 20 in 2014 has a 19 percent chance of becoming disabled before age 60. In addition, the probability that she will die before age 60 without receiving disability Social Security is only 3 percent.

⁴ Using general population mortality rates may slightly overstate death rates for the insured because the group excluded, the uninsured, are likely to have higher death rates than the general population.

⁵ Age is age at entitlement to a disability-worker-benefit. Duration refers to the complete number of years since entitlement to a disability-worker-benefit.

Table A: Probability of Disability and Death for Illustrative Cases of Insured Workers

Trustees Report Year ¹	Year of Attainment of Age 20	Probability of Disability Before NRA			Probability of Death While Never Disabled			Probability of Survival to NRA With No Disability		
		Male	Female	Total ²	Male	Female	Total ²	Male	Female	Total ²
1986	1986	0.322	0.240	0.281	0.095	0.060	0.077	0.583	0.700	0.642
2011	2011	0.276	0.260	0.268	0.091	0.049	0.070	0.633	0.691	0.662
2012	2012	0.276	0.264	0.270	0.090	0.048	0.069	0.634	0.688	0.661
2013	2013	0.275	0.264	0.270	0.085	0.044	0.065	0.639	0.692	0.666
2014	2014	0.277	0.263	0.270	0.082	0.042	0.062	0.641	0.695	0.668

¹ Calculations based on the intermediate assumptions of that year's Trustees Report (intermediate II-B for the 1986 Trustees Report).

² Totals are obtained by combining tables C and D. For example, the probability of dying before NRA while active would equal 6.2 percent, (81,831 + 41,815) / (1,000,000 + 1,000,000).

Notes: Probabilities are determined assuming all are disability insured throughout their working lives.

For a recent historical perspective, see Actuarial Study 122, Social Security Disability Insurance Program Worker Experience at:

<http://www.socialsecurity.gov/OACT/NOTES/actstud.html>.

Table B: Probability of Death for Illustrative Cases of Insured Workers by Disabled Status

Trustees Report Year ¹	Year of Attainment of Age 20	(A) = (B) + (C)			(B)			(C)		
		Probability of Death Before NRA			Probability of Death While Disabled Before NRA			Probability of Death While Not Disabled Before NRA ²		
		Male	Female	Total ³	Male	Female	Total ³	Male	Female	Total ³
1986	1986	0.221	0.129	0.175	0.121	0.067	0.094	0.100	0.062	0.081
2011	2011	0.155	0.096	0.125	0.061	0.045	0.053	0.094	0.050	0.072
2012	2012	0.153	0.095	0.124	0.061	0.045	0.053	0.092	0.049	0.071
2013	2013	0.149	0.090	0.119	0.061	0.045	0.053	0.088	0.045	0.066
2014	2014	0.145	0.088	0.116	0.061	0.045	0.053	0.084	0.043	0.064

¹ Calculations based on the intermediate assumptions of that year's Trustees Report (intermediate II-B for the 1986 Trustees Report).

² Includes those that recovered from disabilities.

³ Totals are obtained by combining tables C and D. For example, the probability of dying before NRA while disabled would equal 5.3 percent, (60,885 + 44,574) / (1,000,000 + 1,000,000).

Notes: Probabilities are determined assuming all are disability insured throughout their working lives.

For a recent historical perspective, see Actuarial Study 122, Social Security Disability Insurance Program Worker Experience at:

<http://www.socialsecurity.gov/OACT/NOTES/actstud.html>.

**Table E: Probabilities of Disability, Death, and Survival for Insured Workers Attaining Age 20 in 2014
(Born in 1994)**

Males Attaining Age 20 in 2014					Females Attaining Age 20 in 2014				
Age x	Probability of Survival With No Disability From Age 20 To Age x	Probability of Disability From Age 20 To Age x	Probability of Death While Never Disabled From Age 20 To Age x	Probability of Death or Disability From Age 20 To Age x	Age x	Probability of Survival With No Disability From Age 20 To Age x	Probability of Disability From Age 20 To Age x	Probability of Death While Never Disabled From Age 20 To Age x	Probability of Death or Disability From Age 20 To Age x
21	99.7%	0.2%	0.1%	0.3%	21	99.8%	0.1%	0.0%	0.2%
22	99.4	0.4	0.2	0.6	22	99.7	0.3	0.1	0.3
23	99.0	0.6	0.4	1.0	23	99.4	0.4	0.1	0.6
24	98.6	0.9	0.5	1.4	24	99.2	0.6	0.2	0.8
25	98.2	1.1	0.6	1.8	25	99.0	0.8	0.2	1.0
26	97.9	1.3	0.8	2.1	26	98.8	0.9	0.3	1.2
27	97.6	1.5	0.9	2.4	27	98.6	1.1	0.3	1.4
28	97.3	1.7	1.0	2.7	28	98.4	1.2	0.4	1.6
29	97.0	1.9	1.1	3.0	29	98.2	1.4	0.4	1.8
30	96.6	2.1	1.3	3.4	30	98.0	1.5	0.5	2.0
31	96.3	2.3	1.4	3.7	31	97.8	1.7	0.5	2.2
32	96.0	2.5	1.5	4.0	32	97.5	2.0	0.6	2.5
33	95.6	2.7	1.6	4.4	33	97.2	2.2	0.6	2.8
34	95.3	3.0	1.8	4.7	34	96.9	2.5	0.7	3.1
35	94.9	3.2	1.9	5.1	35	96.5	2.7	0.7	3.5
36	94.5	3.5	2.0	5.5	36	96.2	3.0	0.8	3.8
37	94.2	3.8	2.1	5.8	37	95.8	3.3	0.8	4.2
38	93.8	4.1	2.2	6.2	38	95.5	3.7	0.9	4.5
39	93.3	4.4	2.3	6.7	39	95.1	4.0	0.9	4.9
40	92.9	4.7	2.4	7.1	40	94.6	4.4	1.0	5.4
41	92.4	5.1	2.5	7.6	41	94.2	4.8	1.0	5.8
42	91.9	5.5	2.6	8.1	42	93.7	5.2	1.1	6.3
43	91.4	5.9	2.7	8.6	43	93.2	5.6	1.2	6.8
44	90.8	6.3	2.9	9.2	44	92.6	6.1	1.2	7.4
45	90.2	6.8	3.0	9.8	45	92.1	6.6	1.3	7.9
46	89.6	7.2	3.2	10.4	46	91.5	7.1	1.4	8.5
47	88.9	7.7	3.3	11.1	47	90.8	7.7	1.5	9.2
48	88.2	8.3	3.5	11.8	48	90.1	8.2	1.7	9.9
49	87.5	8.8	3.7	12.5	49	89.4	8.8	1.8	10.6
50	86.7	9.4	3.9	13.3	50	88.6	9.4	1.9	11.4
51	85.8	10.0	4.2	14.2	51	87.8	10.2	2.1	12.2
52	84.7	10.9	4.4	15.3	52	86.8	11.0	2.2	13.2
53	83.6	11.7	4.7	16.4	53	85.7	11.9	2.3	14.3
54	82.5	12.5	4.9	17.5	54	84.7	12.8	2.5	15.3
55	81.4	13.4	5.2	18.6	55	83.7	13.7	2.6	16.3
56	80.1	14.4	5.5	19.9	56	82.6	14.7	2.7	17.4
57	78.6	15.6	5.8	21.4	57	81.3	15.8	2.9	18.7
58	77.1	16.8	6.0	22.9	58	80.1	16.9	3.0	19.9
59	75.7	18.0	6.3	24.3	59	78.8	18.1	3.1	21.2
60	74.2	19.3	6.5	25.8	60	77.5	19.3	3.2	22.5
61	72.6	20.7	6.7	27.4	61	76.2	20.5	3.3	23.8
62	70.9	22.2	6.9	29.1	62	75.0	21.6	3.4	25.0
63	69.3	23.6	7.1	30.7	63	73.7	22.8	3.5	26.3
64	67.6	25.0	7.3	32.4	64	72.4	24.0	3.6	27.6
65	66.2	26.2	7.6	33.8	65	71.3	25.0	3.8	28.7
66	65.1	27.1	7.8	34.9	66	70.3	25.7	4.0	29.7
67	64.1	27.7	8.2	35.9	67	69.5	26.3	4.2	30.5

Note: Totals do not necessarily equal the sums of rounded components.